INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 97 NO. 1–3 CONTENTS 15 AUGUST 1993

Cited in: Current Contents (Life Sciences; Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE; PASCAL M; Science Citation Index; Current Awareness in Biological Sciences

Announcement from the Publisher v

Invited Review

The role of the gastrointestinal microflora in the metabolism of drugs
M.A. Shamat (UK) 1

Research Papers

The application of canonical analysis to the evaluation of the influence of changes in components of standard direct compression tablet formulations
F. Podczeck, G. Merkel and P. Révész (Germany, Hungary) 15

The effect of dry granulation on the consolidation and compaction of crystalline lactose
K.A. Riepma, H. Vromans, K. Zuurman and C.F. Lerk (The Netherlands) 29

Solvent drag in ethanol/ethyl acetate enhanced skin permeation of *d*-norgestrel
D.R. Friend and S.I. Smedley (USA) 39

Total and regional lung deposition of terbutaline sulphate inhaled via a pressurised MDI or via Turbuhaler®
L. Borgström and S. Newman (Sweden, UK) 47

Determination of pyridostigmine and the main degradation product in tablets by high-performance liquid chromatography
K. Wæhler, P.O. Roksvaag and T. Waaler (Norway) 55

Gastrointestinal transit and absorption of theophylline from a multiparticulate controlled release formulation
K.H. Yuen, A.A. Deshmukh, J.M. Newton, M. Short and R. Melchor (UK) 61

The influence of moisture content on spheronization of extrudate processed by a ram extruder
K.E. Fielden, J.M. Newton and R.C. Rowe (UK) 79

Comparison of in vitro dissolution profiles by calculating mean dissolution time (MDT) or mean residence time (MRT)
F. Podczeck (UK) 93

Contact angles and surface free energies of theophylline and salicylic acid powders determined by the Washburn method
J. Kiesvaara, J. Yliruusi and E. Ahomäki (Finland) 101

Aerosol solvent extraction system – a new microparticle production technique
J. Bleich, B.W. Müller and W. Waßmus (Germany) 111

The effect of aging on the dissolution of wet granulated tablets containing super disintegrants
M.S. Gordon, V.S. Rudraraju, J.K. Rhie and Z.T. Chowhan (USA) 119

Azo polymers for colon-specific drug delivery. II: Influence of the type of azo polymer on the degradation by intestinal microflora
G. Van den Mooter, C. Samyn and R. Kinget (Belgium) 133

Effect of titrant concentration on pH-zero point of charge: verification by bootstrap technique
W. Wongpoowarak and N. Worakul (Thailand) 141

Optimization of pharmaceutical formulations based on response-surface experimental designs
A.G. González (Spain) 149

Identification of stabilizing and destabilizing effects of excipient-drug interactions in solid dosage form design
T. Dürig and A.R. Fassihi (USA) 161

High levels of exopeptidase activity are present in rat and canine bronchoalveolar lavage fluid
D.A. Wall and A.T. Lanutti (USA) 171

Calcium alginate matrices for oral multiple unit administration: II. Effect of process and formulation factors on matrix properties
T. Østberg, L. Vesterhus and C. Graffner (Norway, Sweden) 183

A coherent matrix model for the consolidation and compaction of an excipient with magnesium stearate
K.A. Riepma, H. Vromans and C.F. Lerk (The Netherlands) 195

Cyclosporin A liposome aerosol: Particle size and calculated respiratory deposition
J.C. Waldrep, P.W. Scherer, K. Keyhani and V. Knight (USA) 205

(Contents continued on p. 228)

0378-5173(19930815)97:1/3;1-Y

INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 97 NO. 1–3 CONTENTS 15 AUGUST 1993

Cited in: Current Contents (Life Sciences; Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE; PASCAL M; Science Citation Index; Current Awareness in Biological Sciences

Announcement from the Publisher v

Invited Review

The role of the gastrointestinal microflora in the metabolism of drugs
M.A. Shamat (UK) 1

Research Papers

The application of canonical analysis to the evaluation of the influence of changes in components of standard direct compression tablet formulations
F. Podczeck, G. Merkel and P. Révész (Germany, Hungary) 15

The effect of dry granulation on the consolidation and compaction of crystalline lactose
K.A. Riepma, H. Vromans, K. Zuurman and C.F. Lerk (The Netherlands) 29

Solvent drag in ethanol/ethyl acetate enhanced skin permeation of *d*-norgestrel
D.R. Friend and S.I. Smedley (USA) 39

Total and regional lung deposition of terbutaline sulphate inhaled via a pressurised MDI or via Turbuhaler®
L. Borgström and S. Newman (Sweden, UK) 47

Determination of pyridostigmine and the main degradation product in tablets by high-performance liquid chromatography
K. Wæhler, P.O. Roksvaag and T. Waaler (Norway) 55

Gastrointestinal transit and absorption of theophylline from a multiparticulate controlled release formulation
K.H. Yuen, A.A. Deshmukh, J.M. Newton, M. Short and R. Melchor (UK) 61

The influence of moisture content on spheronization of extrudate processed by a ram extruder
K.E. Fielden, J.M. Newton and R.C. Rowe (UK) 79

Comparison of in vitro dissolution profiles by calculating mean dissolution time (MDT) or mean residence time (MRT)
F. Podczeck (UK) 93

Contact angles and surface free energies of theophylline and salicylic acid powders determined by the Washburn method
J. Kiesvaara, J. Yliruusi and E. Ahomäki (Finland) 101

Aerosol solvent extraction system – a new microparticle production technique
J. Bleich, B.W. Müller and W. Waßmus (Germany) 111

The effect of aging on the dissolution of wet granulated tablets containing super disintegrants
M.S. Gordon, V.S. Rudraraju, J.K. Rhie and Z.T. Chowhan (USA) 119

Azo polymers for colon-specific drug delivery. II: Influence of the type of azo polymer on the degradation by intestinal microflora
G. Van den Mooter, C. Samyn and R. Kinget (Belgium) 133

Effect of titrant concentration on pH-zero point of charge: verification by bootstrap technique
W. Wongpoowarak and N. Worakul (Thailand) 141

Optimization of pharmaceutical formulations based on response-surface experimental designs
A.G. González (Spain) 149

Identification of stabilizing and destabilizing effects of excipient-drug interactions in solid dosage form design
T. Dürig and A.R. Fassihi (USA) 161

High levels of exopeptidase activity are present in rat and canine bronchoalveolar lavage fluid
D.A. Wall and A.T. Lanutti (USA) 171

Calcium alginate matrices for oral multiple unit administration: II. Effect of process and formulation factors on matrix properties
T. Østberg, L. Vesterhus and C. Graffner (Norway, Sweden) 183

A coherent matrix model for the consolidation and compaction of an excipient with magnesium stearate
K.A. Riepma, H. Vromans and C.F. Lerk (The Netherlands) 195

Cyclosporin A liposome aerosol: Particle size and calculated respiratory deposition
J.C. Waldrep, P.W. Scherer, K. Keyhani and V. Knight (USA) 205

(Contents continued on p. 228)

0378-5173(19930815)97:1/3;1-Y

(Contents continued from back cover)

Notes

Dose-dependent pharmacokinetics of human granulocyte/macrophage colony-stimulating factor in rabbits
E.J. Yoon, E.J. Bae, Y.N. Jeong, M.M. Kim, B. Kim, S.H. Lee and M.G. Lee (South Korea) 213

Stability of ampicillin infusions in unbuffered and buffered saline
M.C. Allwood and P.W. Brown (UK) 219

Author index 223

Noticeboard 225